Ergonomic shovel with drain holes, 380 x 340 x 90 mm, 1305 mm, Black





Suitable for all industries, this Ergonomic Shovel features drain holes that enable rapid drainage of water and other liquids from food products.

## **Technical Data**

Shovel Blade Size, L x W x H         380 x 340 x 90 mm           Material         Polypropylene Anodised Aluminium           Complies with (EC) 1935/2004 on food contact materials¹         Yes           Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           EDA compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A is Halal and Kosher compliant         Yes           Bos Quantity         1 Pes.           Quantity Per Pallet (80 x 120 x 200 cm)         0 Pcs.           Box Length         1145 mm           Box Width         350 mm           Box Width         350 mm           Box Height         220 mm           Length         1305 mm           Width         350 mm           Weight bag         0,087 kg           Weight cardboard         0,1748 kg           Gross Weight         1,95 kg           Cubik metre         0,100485 m3           Gross Weight cardboard         1,95 kg           Cubik metre         0,100485 m3           Max usage temperature (Dishwasher)         9           Cha	Item Number	56049
Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) FOA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs Quantity Per Layer (Pallet) 80 x Height	Shovel Blade Size, L x W x H	380 x 340 x 90 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  West the REACH Regulation (EC) No. 1907/2006  Use of phthalates and bisphenol A  No  Is Halal and Kosher compliant  Yes  Design Registration No.  UK 2072052  Box Quantity  1 Pcs.  Quantity per Pallet (80 x 120 x 200 cm)  Government of the product of t	Material	
Manufacturing Practice         FDA compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Design Registration No.         UK 2072052           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         60 Pcs           Quantity Per Layer (Pallet)         0 Pcs.           Box Length         1145 mm           Box Width         350 mm           Box Height         220 mm           Length         1305 mm           Height         220 mm           Net Weight bag         0,0874 kg           Weight bag         0,0874 kg           Weight cardboard         0,1748 kg           Tare total         0,2622 kg           Gross Weight         1,95 kg           Cubik metre         0,100485 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Design Registration No.         UK 2072052           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         60 Pcs           Quantity Per Layer (Pallet)         0 Pcs.           Box Length         1145 mm           Box Width         350 mm           Box Height         220 mm           Length         1305 mm           Width         350 mm           Height         220 mm           Net Weight         1,69 kg           Weight bag         0,0874 kg           Weight cardboard         1,748 kg           Tare total         0,2622 kg           Gross Weight         1,95 kg           Cubik metre         0,100485 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         20 °C           Min. usage temperature <th></th> <th>Yes</th>		Yes
Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Design Registration No.         UK 2072052           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         60 Pcs           Quantity Per Layer (Pallet)         0 Pcs.           Box Length         1145 mm           Box Width         350 mm           Box Height         220 mm           Length         1305 mm           Width         350 mm           Height         220 mm           Net Weight bag         0,0874 kg           Weight cardboard         0,1748 kg           Tare total         0,2622 kg           Gross Weight         1,95 kg           Cubik metre         0,100485 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature         20 °C           Max. drying temperature         2 pH           Max. pH-value in Usage Concentration         10,5 pH	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Design Registration No.         UK 2072052           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         60 Pcs           Quantity Per Layer (Pallet)         0 Pcs.           Box Length         1145 mm           Box Width         350 mm           Box Height         220 mm           Length         1305 mm           Width         350 mm           Height         220 mm           Net Weight         1,69 kg           Weight bag         0,0874 kg           Weight cardboard         0,1748 kg           Tare total         0,2622 kg           Gross Weight         1,95 kg           Cubik metre         0,100485 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (no food contact)         100 °C           Min. usage temperature         20 °C           Max. drying temperature         2 pH           Max. pH-value in usage concentration         10,5 pH<	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant         Yes           Design Registration No.         UK 2072052           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         60 Pcs           Quantity Per Layer (Pallet)         0 Pcs.           Box Length         1145 mm           Box Width         350 mm           Box Height         220 mm           Length         1305 mm           Width         350 mm           Height         220 mm           Net Weight         1,69 kg           Weight bag         0,0874 kg           Weight cardboard         0,1748 kg           Tare total         0,2622 kg           Gross Weight         1,95 kg           Cubik metre         0,100485 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Max. drying temperature         2 pH           Max. pH-value in Usage Concentration         10,5 pH	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Design Registration No.         UK 2072052           Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         60 Pcs           Quantity Per Layer (Pallet)         0 Pcs.           Box Length         1145 mm           Box Width         350 mm           Box Height         220 mm           Length         1305 mm           Width         350 mm           Height         220 mm           Net Weight bag         0,0874 kg           Weight cardboard         0,1748 kg           Tare total         0,2622 kg           Gross Weight         1,95 kg           Cubik metre         0,100485 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         10,5 pH	Use of phthalates and bisphenol A	No
Box Quantity         1 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         60 Pcs           Quantity Per Layer (Pallet)         0 Pcs.           Box Length         1145 mm           Box Width         350 mm           Box Height         220 mm           Length         1305 mm           Width         350 mm           Height         220 mm           Net Weight bag         0,0874 kg           Weight cardboard         0,1748 kg           Tare total         0,2622 kg           Gross Weight         1,95 kg           Cubik metre         0,100485 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         20 °C           Max. drying temperature         120 °C           Min. pH-value in usage Concentration         10,5 pH	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm)         60 Pcs           Quantity Per Layer (Pallet)         0 Pcs.           Box Length         1145 mm           Box Width         350 mm           Box Height         220 mm           Length         1305 mm           Width         350 mm           Height         220 mm           Net Weight bag         0,0874 kg           Weight cardboard         0,1748 kg           Tare total         0,2622 kg           Gross Weight         1,95 kg           Cubik metre         0,100485 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10,5 pH	Design Registration No.	UK 2072052
Quantity Per Layer (Pallet)         0 Pcs.           Box Length         1145 mm           Box Width         350 mm           Box Height         220 mm           Length         1305 mm           Width         350 mm           Height         220 mm           Net Weight         1,69 kg           Weight bag         0,0874 kg           Weight cardboard         0,1748 kg           Tare total         0,2622 kg           Gross Weight         1,95 kg           Cubik metre         0,100485 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         -20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10,5 pH	Box Quantity	1 Pcs.
Box Length         1145 mm           Box Width         350 mm           Box Height         220 mm           Length         1305 mm           Width         350 mm           Height         220 mm           Net Weight         1,69 kg           Weight bag         0,0874 kg           Weight cardboard         0,1748 kg           Tare total         0,2622 kg           Gross Weight         1,95 kg           Cubik metre         0,100485 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         2 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10,5 pH	Quantity per Pallet (80 x 120 x 200 cm)	60 Pcs
Box Width         350 mm           Box Height         220 mm           Length         1305 mm           Width         350 mm           Height         220 mm           Net Weight         1,69 kg           Weight bag         0,0874 kg           Weight cardboard         0,1748 kg           Tare total         0,2622 kg           Gross Weight         1,95 kg           Cubik metre         0,100485 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         2 °C           Min. usage temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10,5 pH	Quantity Per Layer (Pallet)	0 Pcs.
Box Height         220 mm           Length         1305 mm           Width         350 mm           Height         220 mm           Net Weight         1,69 kg           Weight bag         0,0874 kg           Weight cardboard         0,1748 kg           Tare total         0,2622 kg           Gross Weight         1,95 kg           Cubik metre         0,100485 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10,5 pH	Box Length	1145 mm
Length         1305 mm           Width         350 mm           Height         220 mm           Net Weight         1,69 kg           Weight bag         0,0874 kg           Weight cardboard         0,1748 kg           Tare total         0,2622 kg           Gross Weight         1,95 kg           Cubik metre         0,100485 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10,5 pH	Box Width	350 mm
Width         350 mm           Height         220 mm           Net Weight         1,69 kg           Weight bag         0,0874 kg           Weight cardboard         0,1748 kg           Tare total         0,2622 kg           Gross Weight         1,95 kg           Cubik metre         0,100485 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         2 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10,5 pH	Box Height	220 mm
Height         220 mm           Net Weight         1,69 kg           Weight bag         0,0874 kg           Weight cardboard         0,1748 kg           Tare total         0,2622 kg           Gross Weight         1,95 kg           Cubik metre         0,100485 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10,5 pH	Length	1305 mm
Net Weight1,69 kgWeight bag0,0874 kgWeight cardboard0,1748 kgTare total0,2622 kgGross Weight1,95 kgCubik metre0,100485 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Width	350 mm
Weight bag0,0874 kgWeight cardboard0,1748 kgTare total0,2622 kgGross Weight1,95 kgCubik metre0,100485 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Height	220 mm
Weight cardboard0,1748 kgTare total0,2622 kgGross Weight1,95 kgCubik metre0,100485 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Net Weight	1,69 kg
Tare total 0,2622 kg Gross Weight 1,95 kg Cubik metre 0,100485 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature ( 120 °C Max. drying temperature ( 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Weight bag	0,0874 kg
Gross Weight1,95 kgCubik metre0,100485 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Weight cardboard	0,1748 kg
Cubik metre0,100485 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Tare total	0,2622 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Gross Weight	1,95 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Cubik metre	0,100485 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Min. usage temperature³	-20 °C
Max. pH-value in Usage Concentration 10,5 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH
<b>Gtin-13 Number</b> 5705020560491	Max. pH-value in Usage Concentration	10,5 pH
	Gtin-13 Number	5705020560491

7/20/2021 2/3

Customs Tariff No. 39241000

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

7/20/2021 3/3