Replacement Cassette, Hygienic, 500 mm, White





Replacement squeegee blade for Hygienic fixed and revolving neck squeegees (Series 7713x and 7723x).

Technical Data

TPÉ Rubber	Item Number	77335
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Patent Pending/Patent No. EP2227129 validated in DK, DE, FR and GB, DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 510 mm Box Height 210 mm Box Height 210 mm Width 25 mm Net Weight 45 mm Net Weight bag 0,0076 kg Weight cardboard 0,017 kg Gross Weight 0,17 kg Cubik metre 0,000562 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Ioshwasher) 93 °C Max usage temperature (non food contact) 0°C Min. usage temperature <t< th=""><th>Material</th><th></th></t<>	Material	
Manufacturing Practice FDA compliant raw material (CFR 21) Yes	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Patent Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 510 mm Box Width 295 mm Box Height 210 mm Length 500 mm Width 25 mm Height 45 mm Net Weight bag 0,007 kg Weight cardboard 0,0107 kg Tare total 0,0107 kg Gross Weight 0,117 kg Cubik metre 0,000562 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Patent Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs. Box Length 510 mm Box Width 295 mm Box Width 295 mm Box Height 210 mm Width 25 mm Weight 500 mm Weight bag 0,0076 kg Weight cardboard 0,017 kg Gross Weight 0,17 kg Cubik metre 0,000562 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 50 °C Max usage temperature in (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Patent Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Box Length 510 mm Box Width 295 mm Box Height 210 mm Use Height 500 mm Width 25 mm Met Weight 0,15 kg Weight bag 0,0076 kg Weight cardboard 0,017 kg Gross Weight 0,17 kg Cubik metre 0,00052 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 9 °C Max usage temperature (non food contact) 10 °C Min. usage temperature 10 °C Min. pH-value in usage concentration	Complies with UK 2019 No. 704 on food contact materials	Yes
Name	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Patent Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Width 295 mm Box Height Length 500 mm Width 120 mm Length 500 mm Width 125 mm Height 45 mm Net Weight 45 mm Net Weight bag Quantity Weight cardboard Tare total Gross Weight Cubik metre 10,00162 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Max. drying temperature Max. drying temperature Min. pH-value in usage concentration DK, DE, FR and GB. DE 602008048400.9 Pcs. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Pcs. Be2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Pcs. Be2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Pcs. Be2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Pcs. Be2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Pcs. Be2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Pcs. Be2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Pcs. Be2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Pcs. Be2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Pcs. Be3227 validated in DK, DE, FR and GB. DE 602008048400.9 Pcs. Be3227 validated in DK, DE, FR and GB. DE 602008048400.9 Pcs. Be3227 validated in DK, DE, Edward GB, DE 602008048400.9 Pcs. Be3227 validated in DK, DE, Edward GB, DE 602008048400.9 Pcs. Be3227 validated in DK, DE, Edward GB, DE 6020080484 Pcs. Be3227 validated in DK, DE, Edward GB, DE 60200804 Pcs. Be3227 validated in DK, DE, Edward GB, DE 60200804 Pcs. Be3227 validated in DK, DE, Edward GB, DE, Edward GB, DE, Edward GB, DE, DE, DE, DE, DE, DE, DE, DE, DE, DE	Use of phthalates and bisphenol A	No
DK, DE, FR and GB. DE 602008048400.9 Pcs.	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 510 mm Box Width 295 mm Box Height 210 mm Length 500 mm Width 25 mm Height 45 mm Net Weight 0,15 kg Weight bag 0,0076 kg Weight cardboard 0,0107 kg Tare total 0,0183 kg Gross Weight 0,17 kg Cubik metre 0,000562 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Patent Pending/Patent No.	DK, DE, FR and GB. DE
Quantity Per Layer (Pallet) 120 Pcs. Box Length 510 mm Box Width 295 mm Box Height 210 mm Length 500 mm Width 25 mm Height 45 mm Net Weight bag 0,015 kg Weight cardboard 0,017 kg Tare total 0,018 kg Gross Weight 0,17 kg Cubik metre 0,000562 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 2 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Box Quantity	20 Pcs.
Box Length 510 mm Box Width 295 mm Box Height 210 mm Length 500 mm Width 25 mm Height 45 mm Net Weight bag 0,015 kg Weight cardboard 0,017 kg Tare total 0,018 kg Gross Weight 0,17 kg Cubik metre 0,000562 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 2 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Quantity per Pallet (80 x 120 x 200 cm)	960 Pcs
Box Width 295 mm Box Height 210 mm Length 500 mm Width 25 mm Height 45 mm Net Weight 0,15 kg Weight bag 0,0076 kg Weight cardboard 0,0107 kg Tare total 0,0183 kg Gross Weight 0,17 kg Cubik metre 0,000562 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Quantity Per Layer (Pallet)	120 Pcs.
Box Height 210 mm Length 500 mm Width 25 mm Height 45 mm Net Weight 0,15 kg Weight bag 0,0076 kg Weight cardboard 0,0107 kg Tare total 0,0183 kg Gross Weight 0,17 kg Cubik metre 0,000562 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Box Length	510 mm
Length 500 mm Width 25 mm Height 45 mm Net Weight 0,15 kg Weight bag 0,0076 kg Weight cardboard 0,0107 kg Tare total 0,0183 kg Gross Weight 0,17 kg Cubik metre 0,000562 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Box Width	295 mm
Width 25 mm Height 45 mm Net Weight 0,15 kg Weight bag 0,0076 kg Weight cardboard 0,0107 kg Tare total 0,0183 kg Gross Weight 0,17 kg Cubik metre 0,000562 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Box Height	210 mm
Height 45 mm Net Weight 0,15 kg Weight bag 0,0076 kg Weight cardboard 0,0107 kg Tare total 0,0183 kg Gross Weight 0,17 kg Cubik metre 0,000562 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Length	500 mm
Net Weight bag0,15 kgWeight cardboard0,0076 kgTare total0,0107 kgGross Weight0,17 kgCubik metre0,000562 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Width	25 mm
Weight bag0,0076kgWeight cardboard0,0107kgTare total0,0183kgGross Weight0,17kgCubik metre0,000562M3Recommended sterilisation temperature (Autoclave)121°CMax. cleaning temperature (Dishwasher)93°CMax usage temperature (food contact)50°CMax usage temperature (non food contact)100°CMin. usage temperature³-30°CMax. drying temperature120°CMin. pH-value in usage concentration2pHMax. pH-value in Usage Concentration10,5pH	Height	45 mm
Weight cardboard0,0107 kgTare total0,0183 kgGross Weight0,17 kgCubik metre0,000562 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Net Weight	0,15 kg
Tare total 0,0183 kg Gross Weight 0,17 kg Cubik metre 0,000562 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -30 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Weight bag	0,0076 kg
Gross Weight 0,17 kg Cubik metre 0,000562 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -30 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Weight cardboard	0,0107 kg
Cubik metre0,000562 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Tare total	0,0183 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Gross Weight	0,17 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Cubik metre	0,000562 M3
Max usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-30 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Max usage temperature (food contact)	50 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pH	Min. usage temperature ³	-30 °C
Max. pH-value in Usage Concentration 10,5 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH
Gtin-13 Number 5705020773358	Max. pH-value in Usage Concentration	10,5 pH
	Gtin-13 Number	5705020773358

6/11/2021 2/3

GTIN-14 Number (Box quantity)	15705020773355
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.

6/11/2021 3/3